

New Products

BM – SERIES DIGITAL MACHINE

DIGITAL BLASTING MACHINE [BM 100D]



Model	BM 100D	
Output voltage	DC 1200V	
Input voltage	DC 6V DRY BATTERY	RECHARGEABLE BATTERY[Optional]
Charging time	4 / SEC	2 / SEC
Output energy	11 JOULES	
Size(mm)	165 * 95 * 175	
Weight(g)	2000	

DIGITAL BLASTING MACHINE [BM 200D]



Model	BM 200D	
Output voltage	DC 1500V	
Input voltage	DC 6V DRY BATTERY	RECHARGEABLE BATTERY[Optional]
Charging time	5 / SEC	3 / SEC
Output energy	16 JOULES	
Size(mm)	165 * 95 * 175	
Weight(g)	2000	

DIGITAL BLASTING MACHINE [BM 300D]



Model	BM 300D	
Output voltage	DC 1500V	
Input voltage	DC 6V DRY BATTERY	RECHARGEABLE BATTERY[Optional]
Charging time	10 / SEC	4 / SEC
Output energy	32 JOULES	
Size(mm)	165 * 95 * 175	
Weight(g)	2000	

DIGITAL BLASTING MACHINE [BM 500D]



Model	BM 500D	
Output voltage	DC 1500V	
Input voltage	DC 6V DRY BATTERY	RECHARGEABLE BATTERY[Optional]
Charging time	15 / SEC	6 / SEC
Output energy	47 JOULES	
Size	165 * 95 * 175	
Weight	2000	

XB – SERIES DIGITAL MACHINE

The total intensity of technology and know-how to destroy launched by Smart Digital.

SMART DIGITAL BLASTING MACHINE [XB-100D]



Model	XB-100D	
Output voltage	DC 1200V	
Input voltage	DC 6V DRY BATTERY	RECHARGEABLE BATTERY[Optional]
Charging time	4 / SEC	2 / SEC
Output energy	11 JOULES	
Size(mm)	165 * 95 * 175	
Weight(g)	2000	

SMART DIGITAL BLASTING MACHINE [XB-200D]



Model	XB-200D	
Output voltage	DC 1500V	
Input voltage	DC 6V DRY BATTERY	RECHARGEABLE BATTERY[Optional]
Charging time	5 / SEC	3 / SEC
Output energy	16 JOULES	
Size(mm)	165 * 95 * 175	
Weight(g)	2000	

SMART DIGITAL BLASTING MACHINE [XB-300D]



Model	XB-300D	
Output voltage	DC 1500V	
Input voltage	DC 6V DRY BATTERY	RECHARGEABLE BATTERY[Optional]
Charging time	10 / SEC	4 / SEC
Output energy	32 JOULES	
Size(mm)	165 * 95 * 175	
Weight(g)	2000	

SMART DIGITAL BLASTING MACHINE [XB-500D]



Model	XB-500D	
Output voltage	DC 1500V	
Input voltage	DC 6V DRY BATTERY	RECHARGEABLE BATTERY[Optional]
Charging time	15 / SEC	6 / SEC
Output energy	47 JOULES	
Size(mm)	165 * 95 * 175	
Weight(g)	2000	

SMART DIGITAL BLASTING MACHINE [XB-700D]



Model	XB-700D
Output voltage	DC 1500V
Input voltage	RECHARGEABLE BATTERY
Charging time	8 / SEC
Output energy	63 JOULES
Size(mm)	165 * 95 * 175
Weight(g)	2000

SMART DIGITAL BLASTING MACHINE [XB-1000D]



Model	XB-1000D
Output voltage	DC 1500V
Input voltage	RECHARGEABLE BATTERY
Charging time	17 / SEC
Output energy	126 JOULES
Size(mm)	165 * 95 * 175
Weight(g)	3000

SMART DIGITAL BLASTING MACHINE [XB-1200D]




Model	XB-1200D
Output voltage	DC 1500V
Input voltage	RECHARGEABLE BATTERY
Charging time	25 / SEC
Output energy	158 JOULES
Size(mm)	165 * 95 * 175
Weight(g)	3000

SMART DIGITAL AUTOMATIC CHARGER [XBC-12D]





OLED DISPLAY

DIGITAL BLASTING OHM METER [XR-III]



Model	XR-III
Maximum Capacity	Decimal 3.5digit[1999]Ω
Input voltage	9V NEDA 1604 6F 22
TEST voltage between terminals	0.5V
TEST current between terminals	0.15 mA
Size(mm)	77 * 100 * 32
Weight(g)	223

BLASTING CIRCUIT TESTER [BCT9005]



Model	BCT9005
Maximum Capacity	Decimal 3.5digit[1999]Ω
Input voltage	L 1131 Alkaline batteries
TEST voltage between terminals	1.5V
TEST current between terminals	0.00025A
Size(mm)	50 * 70
Weight(g)	

NON ELECTRIC BLASTING MACHINE [NE-ONE] Non-electric
 STRAY CURRENT DETECTOR [CD mark III] Leakage Current Detector
 TINY BLASTING MACHINE [XB-50]



DIGITAL BLASTING EQUIPMENT

Tel : + 8 2 - 2 - 3432 - 0411, FAX : + 8 2 - 2 - 3432 - 0413